Preserve

App. F. IX-4

1933-34
(R.A)

File No. 39-33
Serial Nos. 1-8

Previous References
R.A. R: 130-32.

Later References
L.A. M.C. R: NO. 66-34

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. Eight.

Part B for March 1934.

SUBJECT.

Estimate for installing a Speech amplifying apparatus in the Jagan Mohan Palace Pavilion, Mysore.

L: 8. To The Comptroller through R. Secty.
" Electrical Engineer and
" Secretary, R.A and L.C.

Sanctioned the Estimate for Rs. 1935.

S.P. Shivarappa,
27/2/1934.

Installation of a Loud Speaker at the Jagan Mohan Palace for R.A. Meeting

App. F. III—2F.

General and Revenue Secretariat

R.A. File No. 2yD·335 of 1933.

Serial No.

Submitted

1). At the last Dasara Session of the Representative Assembly, October 33, the question of installation of a loud speaker in the Representative Assembly Hall was again brought up and the Dewan promised that it would be done next year. (Vide extract of the R.A. Proceedings.)

H P.

2) Estimate for fitting up the Jagan Mohan Palace with a loud speaker with two microphones, one for the Presidents' Table and the other for the use of important Speakers, was obtained through the Chief Electrical Engineer, at a total cost of Rs 200 and it was finally ordered that the question be deferred for sometime

H. C.

3) Submitted for orders.

BVN.
28.10.33

4). one microphone on the Dewan's table & two loudspeakers at the two ends of the Hall connected with this microphone would be sufficient for the present. The complaint was that members in the distant corners of the Hall were not able to hear the speeches made on the dais. It is not necessary & also not practicable to have a microphone for the members of the R.A. to speak. This will mean

NOTE—Contn. Sheet

WD 02553—50,000—GPB—8-7 30

2

Installation of Loud Speakers at the Jaffna Mohan Palace for R.A. Meetings.

R-A File No. 39 [illegible] of 1933. General and Revenue Secretariat

DEWAN'S OFFICE
2836.
31. OCT. 1933

a sort of forum arrangement in the Centre of the Hall. Much time will be taken up in members coming to & going from the forum & some confusion also will ensue. ordinarily there is no difficulty in hearing the members speeches which are loud enough. If there are two microphones & both are spoken into, confusion will be caused by the loudspeakers. It is not unusual in the Assembly for several persons attempting to speak at the same time.

5). We may install for the present one microphone & two loudspeakers. The Electrical Dept will be requested to call for estimates for a good set. Since the last quotations called for about a year back, there may have been improvements & reductions in price.

Ewbank)

28/10/33

GEN. 28 OCT. 1933 No.

6) One microphone on the dias and two loudspeakers at the two Ends of the Hall will I think do for the present. Estimates may be called for

Dewan)

30/10.33.

Ce 1/11/33 31-10-33 Hm 1/11

Ce 31/10/33

Loudspeakers for the Jagan Mohan Palace for R.A. meetings

App. F. III—2]

General and Revenue Secretariat | R.A. File No. 37 / 335 of 1933.

Serial No.	
	7) Submitted with a draft to the Chief Electrical Engineer requesting to call for estimates as per orders above. BVN 3.11.33. 8) 3/11/33
1	No. 2649/R.A. dt 6-11-1933. To The Chief Electrical Engineer in Mysore, Bangalore. Requests to call for estimates for a Microphone & two Loud Speakers for the Jagan Mohan Palace for R.A. Meetings.
D. 372 2	No. 4701 dt 11-11-1933. From The Chief Electrical Engineer. States that quotations have been called for and that further action will be taken on receipt of the quotations. 9) This will be kept in "Sus" until the quotations called for is forwarded to this office by the Chief Electrical Engineer. Submitted for perusal. JDS. 14.11.33. 10) The letter has been perused by the Secretary.
	Sus. 14/11/33 11) Submitted with a draft Reminder to the Chief Electrical Engineer BVN. 18.12.33
	12)
	13) Subs for orders as to whether the Reminder may be issued now. BVN. 9.1.34 14)
	Issued No 3487 dated 11-1-1934.

OFFICE OF THE SECRETARY

Sus A

Sus B

Note-Sheet

W.D. 02553—50,000—P.B.—8-7-30

637

D 372

R.A File No.39 of 1933. | General and Revenue Secretariat

From. The Proprietor, Modern Electric House, Bangalore 3
Letter No 1675 Dated 31-1-1934.

States that he has just received direct from the factory a Model-de-luxe Speech Amplifier set and adds that, if approved, a practical demonstration will be given for final approval.

15) Draft forwarding Copy of the above letter together with enclosures, to the ~~Superintending~~ Chief Electrical Engineer in Continuation of this office reminder dated 11-1-1934 & calling for an early reply, is submitted for approval.

BVN
3-2-34.

16)

Yours No 3936/Tech dated 5-2-34 4

From. The Chief Electrical Engineer. 5

No 8211 Dated 21-2-1934.

Forwards an estimate amounting to Rs 1933/- for installing the above loud speaking apparatus & requests that the same may be returned only Countersigned so that necessary action may be taken for the purchase of the same.

17) The estimate provides for two loud speakers and two microphones, whereas it was considered sufficient if only one microphone be installed on the dias. (Vide para 6 above). ~~As~~

18) As regards the cost, the only head ~~from which this could be met, is~~ under which some saving could be anticipated is "Salaries". ~~Under~~ wherein

OFFICE OF THE SECRETARIAT
REGD. No. A

App. F. III—2]

General and Revenue Secretariat | R.A. File No. 39 | 658 of 1933 | 372

Serial No.

a provision of Rs 4320 has been made. Mr. N. Deva Rao, Chief Reporter, retired from service in August 1933 & there is therefore a saving of nearly Rs 3000/- under this head, which could perhaps be utilised for the purchase of the Loud Speaker. If this is approved, draft G.O. Sanctioning the estimate will be submitted, debiting the cost to the above head.

19) Submitted for orders.

BWN 21-2-34.

20) The estimate submitted by the Chief Electrical Engineer provides for two microphones which it has been decided and communicated to him that one microphone with 2 loud speakers would do for our purpose. If only one microphone is now considered sufficient, the estimate has to be got altered.

21/2

21) one microphone on the President's table & two loud speakers at the Corners of the House would be sufficient. If there is a second microphone, we will have to arrange a sort of rostrum where speakers (members) could come & speak. This will be very inconvenient & prolong the proceedings & speeches. The Devan has already approved of a set consisting of one microphone & 2 loud speakers (Para 6 above). The Chief Engineer might be asked to

NOTE—Contn. Sheet

WD 02553—50,000—GPB—8-7 30

Installation of a Loudspeaker set for the Japan Mohan Palace for R.A Meetings.

R.A File No. 39 — B 658 of 1933. — General and Revenue Secretariat

Send a revised estimate. The estimate also consists of 2 items such as store incidentals (10%) & Contingencies (5%) amounting to Rs 25/-. It is not clear why these items should be charged in a case where the machine is specifically purchased for the R.A & fitted up. The Dept might advised if these items may not be omitted (Sd) Ce 21/2/34

22) Submitted with a draft. BVN 24/2 Sd/ 24/2

24) Sd/ 27/2/34

Jones No 3993/R.A. Dated 26.2.1934 — 6 — Sns A

From - The Chief Electrical Engineer.

No. 8624 Dated 2.3.1934. — 7

With reference to the above states that one Spare microphone has been enclosed to be put into service if the one in service were to go out of order & requests for reasons explained that the estimate may be returned Countersigned.

EA 22 FEB. 1934 No 1555

OFFICE OF THE SECY. 27 FEB. 1934 REPRESENTATIVE COUNCIL LEGISLATIVE COUNCIL

General and Revenue Secretariat

Re Installation of a Loud Speaker at the Jaya Mohan Palace Pavilion for R.A. meetings.

R.A. File No. 39 of 1933.

Serial No.

FW 6/3

25) Submitted for orders with reference to paras 21 & 22 above.

BVN. 26) The Chief Electrical Engineer states that
5-3-34. the provision of 10% for "Stock incidentals" cannot be omitted in the estimate, as it is in accordance with the rules in vogue in the Dept. and that the provision of 5% "Contingencies" is for meeting any unforeseen items of expenditure and is not shewn above.

27) The estimate submitted by the Ch. Electrical Engineer is for orders.

6/3/34 28) The estimate for Rs 1933 may be approved

Chief Secretary) 6/3/34

Dewan RR 6/3/34

29) This was already seen by the Dewan

30) Order may issue ASH. RR 8/3/34

31) Submitted with a draft G.O. sanctioning the estimate. This has perhaps to be submitted to the Financial Secretary for perusal before issue.

BVN.

8/3/34 Fin Sec) 32 6/3/34

F 2598/9-3-34

NOTE—Contn Sheet.

H. Genl. 1403

33 9.3.34

34 10/3

WD 02553—GPB—50,000—8-32.

37 Draft Govt. Order.

15/3 issued

38 Done 9.3.34.

36 13/3/34

35 13/3/34

12/3/34.

8

R.A. File No. 39 | D675 of 1933 | General and Revenue Secretariat

To. The Comptroller to Government Through Jnl Secy. G.
The Chief Electrical Engineer with the Countersigned Estimate
The Secretary. Representative Assembly & Legis. Council.
No RL-661-63 dated 19-3-1934.

Sanctions the estimate for Rs 1933/- for installing a speech amplifying apparatus in the Jagan Mohan Palace Pavilion Mysore the cost being debited to the Savings under the head "Salaries" under 12 General Admn. 3. Legislative Council & Rep. Assembly in the Current year's budget.

OFFICE OF THE SECRETARY
21 MAR 1934
REPRESENTATIVE ASSEMBLY
&
LEGISLATIVE COUNCIL

Appendix F G—1]

SUBJECT .....

.....

.....

Section R·A

File No. 39-33

Serial No. 1

Diary No. of letter replied to .....

No. 2649/R·A

To

The Chief Electrical Engineer.

Sir,

I have the honor to invite your attention to the Correspondence ending with your letter No 86638 dated 4-5-1933 regarding the installation of a loud speaking apparatus at the Jagan Mohan Palace Pavilion Mysore, and to state that Govt are of opinion that one Microphone for the ~~Dais~~ and two loud speakers at the two ends of the Hall would serve the purpose for the ~~purpose~~ present and to request you to kindly obtain ~~Quotations~~ Estimates from the several firms for the suitable equipment and forward an estimate of cost ~~thereon with your opinion~~ to this office for obtaining Sanction of Govt.

I have etc

Secy. R.A.

General and Revenue Secretariat

( )

the *193* .

Date of issue 6th November 1933

Signed by Mr. C. Subramania Aiyar

List of enclosures.....

Copied by.....

Examined by.....

WD 0253—GPB—15,000—26-8-32

BUN 3-11-33

Office of the Secretary,
Representative Assembly and Legislative Council,

D.O. No. 2649/R.A 39-33-1 Dated, Bangalore, 6th November 1933

From

C. Subrahmanya Aiyar, Esq., B.A., B.L.,
Secretary, Representative Assembly and
Legislative Council, Bangalore.

To

C.M. Cariappa, Esq.,
Chief Electrical Engineer in Mysore,
Bangalore.

Sir,

I have the honour to invite your attention to the correspondence ending with your letter No. 86638 dated 4th May 1933 regarding the installation of a loud-speaking apparatus at the Jagan Mohan Palace Pavilion, Mysore, and to state that Government are of the opinion that one Microphone for the Dais and two loud-speakers at the two ends of the Hall would serve the purpose for the present and to request you to kindly obtain quotations from the several firms for a good

good and suitable equipment and forward and estimate of cost to this office for ~~of~~ sanction of Government.

I have the honour to be,
Sir,
Your most obedient servant,

Secretary,
Representative Assembly.

CSR.

IN REPLY REFER TO

No. 4701

ENCLO.

Telephone No. 345

GOVERNMENT OF MYSORE

ELECTRICAL DEPARTMENT

OFFICE OF THE CHIEF ELECTRICAL ENGINEER,

Bangalore, 11th Novr. *1933*.
(MYSORE, INDIA)

D·372

R·A 39-33-2

OFFICE OF THE SECRETARY
13 NOV. 1933
REPRESENTATIVE ASSEMBLY AND LEGISLATIVE COUNCIL.

The Secretary,
Representative Assembly and
Legislative Council,
Old Public Offices, Bangalore.

Sir,

Loudspeaking equipment for
Jagan Mohan Palace Pavilion,
Mysore.

With reference to your letter No.2649/RA., dated the 6th Novr. 1933, I have the honour to infrom you that quotations have been called for, for the above equipment and further action will be taken on receipt of the quotations.

I have the honour to be,
Sir,
Your most obedient servant,

C. M. Cariappa

Chief Electrical Engineer.

9623/

TELEGRAPHIC ADDRESS :
"RANEEPADMA"

TELEPHONE { CANTT. SHOW ROOMS 131
RESIDENCE 131 A
CITY SHOW ROOMS 267

On the Governments' Approved List

Codes :

Private & A. B. C. 5th Edition

OFFICE OF THE SECRETARY
REPRESENTATIVE ASSEMBLY AND LEGISLATURE
1934

R. f. 39-33-3

We supply everything Electrical
Nothing too Small
Nothing too Large

Brahma Kripahi Kevalam

The Modern Electric House

CITY SHOW ROOMS
Nos. 3, 4 & 5, Market Oval,
BANGALORE CITY.

MANUFACTURERS' REPRESENTATIVES,
"MYSORE HALL"

All Correspondence should be addressed to Cantt. Show Rooms.

CANTT. SHOW ROOMS
Opposite Commercial Street,
BANGALORE CANTT.

Ref. No 1675.

Bangalore, Cantt. D/-31- 1- 1934

To,

The Secretary,
Legislative Council,
Government of Mysore,
Bangalore City.

Dear Sir,

Re.- Speech Amplifier.-

Having given to understand that you are in the Market for an All Main Speech Amplifier for the Legislative Assembly Halls, we beg to inform you that we have just received direct from the Factory a Model-De-Luxe All Main Portable Set, as is described in the enclosed literature.

If you approve to have it- please let us know, that we may arrange to give its practical demonstration for your final approval.

Hoping to be favoured with an early reply.

We beg to remain,
Dear Sir,
Yours faithfully,

Proprietor.

Appendix F G—1]

SUBJECT .....

.....

.....

Section R.A

File No. 39-33

Serial No. 4

Diary No. of letter replied to .....

No. 3936/Ex: three cys

To R.A

The Chief Electrical Engineer to Hyson

General and Revenue Secretariat—

( )

the *193* .

Sir,

In Continuation of this office letter No. 3787 dated 31-1-1934, calling for an estimate of cost for fitting up of the Jayan Mohan Palace Pavilion with a loud-speaking apparatus, I have the honor to forward herewith Copy of letter No. 1675 dated 31-1-34 from the Proprietor, the Modern Electric House, Bangalore together with the enclosures on the subject for necessary action & to request that ~~Very~~ early action may kindly be taken to get the estimate & forward the same for sanction of Govt. ~~& also to arrange for practical demonstration at Hyson during the Coming Budget Session of the Rep: Assembly.~~ I have etc

Date of issue 5th February 1934

Signed by Mr. C. Subbaramayya

Asst.

List of enclosures .....

Copied by .....

Examined by .....

WD 71—GBPM—40,000—20-7-31.

Secy. R.A.

BVN

3-2-34.

15

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Office of the Secretary,
Representative Assembly and Legislative Council,

Bangalore, Dated, 5th February 1934

3936/Ea: three only
R.A. 39-33-4.

C. Subrahmanya Aiyar, Esq., B.A., B.L.,
The Secretary,
Representative Assembly and Legislative Council.
Bangalore.

To C.M Cariappa, Esq.,
Chief Electrical Engineer in Mysore,
Bangalore.

Sir,

In continuation of this office letter No. 3787 dated 11th January 1934 calling for an estimate of cost for fitting up of the Jagan Mohan Palace Pavilion with a loud-speaking apparatus, I have the honour to forward herewith copy of letter No. 1675 dated 31st January 1934 from the Proprietor, The Modern Electric House, Bangalore, together with the enclosures on the subject for necessary action, and to request that very early action may kindly be taken to get the estimate and forward the same for sanction

of

of Government.

I have the honour to be,
Sir,
Your most obedient servant,

Secretary,
Representative Assembly.

Telephone No. 345.

IN REPLY REFER TO
No. 8211
ENCLO. 1 est. & 1 report.

Telegraphic Address:
"GOMED."

Code Used
BENTLEY'S; LIEBER'S
A. B. C. 6TH EDITION
BUSINESS TELEGRAPH CODE

D. 658

16

GOVERNMENT OF MYSORE
ELECTRICAL DEPARTMENT

OFFICE OF THE CHIEF ELECTRICAL ENGINEER,

Dated, Bangalore, 20th Feby. *193* 4.
(MYSORE S. INDIA)

6
21/2/34

OFFICE OF THE SECRETARY
21 FEB. 1934
REPRESENTATIVE ASSEMBLY AND LEGISLATIVE COUNCIL

R.A 39-33-5

From

C. M. CARIAPA, Esq.,
Chief Electrical Engineer
to the Government of Mysore,
Bangalore.

To

The Secretary,
Representative Assembly and Legislative
Council, Old Public Offices,
Bangalore.

Sir,

Speech amplifying apparatus for the Representative Hall, Jagan Mohan Palace, M y s o r e.

In continuation of this office letter No.7874 dated 8th Feby. 1934, with regard to the above subject, I have the honour to enclose herewith an estimate amounting to Rsl,933/- for installing a speech amplifying apparatus at the above place and would request you to return the estimate duly countersigned, indicating the head to which the cost is debitable. After the estimate is received duly countersigned, necessary action will be taken regarding the purchase of the material.

I may here add for your information that the estimate will have to be received sanctioned at an early date to enable me to order for the material, which has to be received from foreign countries, and instal the same so as to be useful for the next Sessions of the Representative Assembly.

I have the honour to be,
Sir,
Your most obedient servant,
C. M. Cariapa
Chief Electrical Engineer.
20.2.34

GOVERNMENT OF MYSORE. ELECTRICAL DEPARTMENT.

Report to accompany the Estimate for Installing a Speech Amplifying Apparatus for the Representative Assembly Hall at Jagan Mohan Palace, Mysore.

* * * *

Reference.- Letter No.7904 dated 7-2-33, from the Chief Electrical Engineer, Bangalore.

\- - -

This estimate provides for installing a Speech Amplifying unit with a provision of 2 Microphones and 2 Loud - Speakers for the use of the Representative Assembly at Jagan Mohan Palace and wiring the same temporarily.

The Set provided in the estimate is suitable for operating ~~of~~ on 230 Volts, 40/60 Cycles A.C.Mains and no provision has been made to work the set on batteries.

The rates provided in the estimate are only approximate.

******

H.C. Nanjundaswamy
Superintendent,
Mysore Power & Light. 15/2/34

C.M. Cariappa
Chief Electrical Engineer.
20.2.34

Appendix F G—1]

SUBJECT .....

.....

.....

Section R.A

File No. 39-33

Serial No. 6

Diary No. of letter replied to D658

No. 3993/R.A

To The Chief Electrical Engineer

Sir,

General and Revenue Secretariat

( )

the *193* .

With reference to correspondence ending with your letter No. 8211 Dated 21-2-1934 forwarding for sanction an estimate for the fitting up of the Speech amplifying apparatus at the Rep. Assembly Hall at Mysore I have the honor to invite Your reference to my letter No 2649/R.A. dated 6.11.33 to state that ~~two microphones have been included in the Estimate~~ it is enough if only one microphone on the Dais and 2 loud speakers at the two ends of the Hall are fitted up ~~and purchased for the use of the Assembly Hall~~ and to request you to kindly obtain and send a revised estimate on this basis for sanction of govt.

Date of issue 26th February 1934

Signed by Mr. C. Subrahmanya Aiya

List of enclosures .....

Copied by .....

Examined by .....

I am to add that it is not clear why ~~the estimate does~~ consist of items such as Stock incidentals at 10% and Contingencies at 5% Amounting to

Rs 254) - ~~that these items not clear why~~ provided for in the estimate

~~these items~~ Should be charged in a case

where the machine is specifically purchased and fitted up

for the use of the R.A. ~~& fitted up~~ and to enquire

whether these items of charges may not be omitted, as they would

not be charged by a firm supplying the machine

I have etc.

Secy. R.A.

BVN

24-2-34.

No 3993 | R.A 39-33-6

26th February 1934

C. Subrahmanya Aiyar, Esq., B.A., B.L.,
xxx

C. M. Cariapa, Esq.,
Chief Electrical Engineer to the
Government of Mysore, Bangalore.

With reference to correspondence ending with your letter No. 8211 dated 21st Februar· 1934 forwarding for sanction an estimate for the fitting up of the spe ch-amplifying apparatus at the Representative Assembly Hall at Mysore, I have the honour to invite - kind reference to my letter No. 2649/R.A. dated 6th November 1933 and to state that it is enough if only one microphone on the dais and 2 loud-speakers at the two ends of the Hall are fitted up and to request you to kindly obtain and send a revised estimate on this basis for sanction of Government.

I am to add that it is not clear why items such as "Stock incidentals at 10 % and Contingencies at 5 % " amounting to Rs.254/- provided for in the estimate should be charged in a case where the machine is specifically purchased and fitted up for the use of the Representative Assembly and to enquire whether these items of - charges may not be omitted, as they would not be charged by a firm supplying the machine.

I have the honour to be,

Sir,

Your most obedient servant,

SECRETARY.

D675 R.A 39-33-7 (4)

No. 8624
Encls.

ELECTRICAL DEPARTMENT.

Dated, Bangalore, 2nd March *1934.*

FROM

C. M. CARIAPA, Esq.,
Chief Electrical Engineer
to the Government of Mysore,
Bangalore.

To

The Secretary,
Representative Assembly
and Legislative Council,
BANGALORE.

Sir,

With reference to your letter No.3993/R.A. dated 26th February 1934, I have the honor to inform you that in the apparatus two microphones have been included with one spare microphone on hand to be put into service immediately the one that is on the dais were to go out of order. This precaution is necessary to avoid interruption in the use of the apparatus in the Assembly Hall due to minor defects that may temporarily develop in the microphones. Actually when the set is operating only one microphone and two loud-speakers will be in service.

With regard to the second para of your letter, as per rules that are in vogue in this Department, a provision in the estimate for "Stock Incidentals" at the rate of 10% for all materials that pass through the store account of this Department have to be charged and the same cannot be omitted.

With regard to the provision of 5% "Contingencies", I wish to inform you that any estimate is only a provision made for the probable outlay. But some unforeseen items may creep in requiring some additional expenditure for which a provision of 5% on the estimated amount under the head "Contingencies" is always made. As a rule, the provision is not operated upon. As the actual outlay is recovered from the department for whom

(P.T.O.

whom the work is carried out, the provision in the estimate under "Contingencies" does not affect. Hence it may be allowed to stand and the estimate returned duly countersigned to enable me to take further action in the matter.

If you still insist that only one microphone should be purchased, it will be accordingly done and the amount to be recovered will be reduced proportionately. But on this account you need not with-hold the countersigning of the estimate (but return it Countersigned) to enable me to proceed with the work immediately.

I have the honor to be,
Sir,
Your most obedient servant,

C. M. Campa

Chief Electrical Engineer.

2.3.34

G.R.S. App. F VI G-2]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

General and revenue Secretariat

(R)

the *192* .

Date of issue 14th March 1934
19th

Signed by M. C. Subrahmanya
Aiyar

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

Section R-A.

File No. 39-33

Serial No. 8

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read—

Correspondence ending with Letter No. 8624 dated 27th March 1934 from the Chief Electrical Engineer in Mysore forwarding an estimate for Rs. 1933/- for installing a speech amplifying apparatus in the Jagan Mohan Palace Pavilion, Mysore, Consisting of

~~Order Thereon—No.~~

Two Microphones, Two loud speakers ~~Horns with receivers~~ and other accessories, requesting sanction of Government thereto ~~explaining the reasons for purchasing two Microphones instead~~

74

~~Govt. as suggested~~

88

Order No. RL661-63 dt.

Sanctioned, the cost being debited to the Savings under the head "Salaries" under 12 General Administration, 3. Legislative Council & Representative Assembly, in the Current year's budget.

for Chief. Secretary to Govt.

BVN.
8.3-34

To. The Comptroller to govt. through Fin. Secty.

The Chief Electrical Engineer with the Countersigned Estimate.

The Secretary. Rep. Assembly & Legis. Council.

List of enclosure.

Copied by

Examined by

WD 0626—GPB—12,500—26-5-27

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read:-

Correspondence ending ith letter No. 8624 dated 2nd March 1934 from the Chief Electrical Engineer in Mysore forwarding an estimate for Rs.1933/- for installing a speech amplifying appar tus in the Jagan Mohan Palace Pavilion, Mysore, consisting of two Microphones, two loud speakers and other accessories and requesting sanction of Government thereto

Order No. Ll 661-63/R-A 39-33-8

Bangalore, dated 14th March 1934.

Sanctioned, the cost being debited to the savings under the head "Salaries" under 12 General Administration, 3 Legislative Council and Representative Assembly, in the current year's budget.

For Chief Secretary to Government.

To

The Comptroller to Government through Financial Secretariat
The Chief lectrical Engineer with the countersigned estimate
The Secretary, Representative Assembly and Legislative Council.

nsp/6